

PART NO:	DIM " A "	DIM " L1 "	DIM " L2 "	DIM " L3 "	AP03201					
AP03201	($\varnothing 5 \pm 0.25$) .197 \pm .010	(610 \pm 10) 24.0 \pm .3937	(15 \pm 1.0) .590 \pm .040	(5 \pm 1.0) .197 \pm .040	REV	BY-DATE	ECN-NO			
<p>NOTE:</p> <ol style="list-style-type: none"> CHIP1: R @25°C (K OHM)= 10K \pm 1% BETA: 25°C/75°C =3965K \pm 2% 100% HI-POT TEST WITH 500V /2 SEC. OPERATING TEMP: -40°C TO +80°C THERMAL DISSIPATION CONSTANT @ 25°C IN AIR: 4mw/°C THE TIME REQUIRED FOR THE PROBE TO REACH 40.8°C, WHEN REMOVE IT FROM WATER OF 25°C TO WATER OF 50°C: <15 S 										
PART NUMBER: APO3201										
					DIMENSIONS IN () ARE IN mm.					
					UNLESS OTHERWISE SPECIFIED ALL DIMENSIONS ARE IN INCHES					
TITLE					DRAWN BY		DATE	CHECKED BY	DATE	MATERIALS
H-UNIT PROBE					LI YONG YUE		4-23-02	WANG YING	05-27-02	
CUSTOMER					CBP NO		MFG. REF.		STYLE NO.	
M.C.P.G.							AP03201			AP03201